

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1054	702/182.ccls.	US-PGPUB; USPAT	OR	ON	2005/11/09 14:03
L2	866	702/183.ccls.	US-PGPUB; USPAT	OR	ON	2005/11/09 14:03
L3	241	702/61.ccls.	US-PGPUB; USPAT	OR	ON	2005/11/09 14:03
L4	464	702/64.ccls.	US-PGPUB; USPAT	OR	ON	2005/11/09 14:03
L5	478	702/185.ccls.	US-PGPUB; USPAT	OR	ON	2005/11/09 14:03
L6	810	702/188.ccls.	US-PGPUB; USPAT	OR	ON	2005/11/09 14:03
L7	166	361/601.ccls.	US-PGPUB; USPAT	OR	ON	2005/11/09 14:05
L8	145	361/659.ccls.	US-PGPUB; USPAT	OR	ON	2005/11/09 14:06
L9	790	361/679.ccls.	US-PGPUB; USPAT	OR	ON	2005/11/09 14:07
L10	380	705/412	US-PGPUB; USPAT	OR	ON	2005/11/09 14:07
L11	294	705/412.ccls.	US-PGPUB; USPAT	OR	ON	2005/11/09 14:07
L12	239	705/412.ccls. and cost	US-PGPUB; USPAT	OR	ON	2005/11/09 14:08
L13	175	705/412.ccls. and cost and consumption	US-PGPUB; USPAT	OR	ON	2005/11/09 14:08
L14	34	705/412.ccls. and cost and consumption and alert	US-PGPUB; USPAT	OR	ON	2005/11/09 14:08
S1	3	energy adj consumption and second adj database	USPAT	OR	OFF	2005/06/23 15:32
S2	9	energy adj consumption and second adj database	US-PGPUB; USPAT	OR	OFF	2005/06/23 17:01
S3	5	energy adj consumption and database and service adj technician\$	US-PGPUB; USPAT	OR	OFF	2005/06/24 11:39
S4	3	energy adj consumption and database and service adj technician\$ and alert	US-PGPUB; USPAT	OR	OFF	2005/06/24 11:40
S5	21	energy adj consumption and database and service and technician\$ and alert	US-PGPUB; USPAT	OR	OFF	2005/06/24 11:41
S6	5	Enterprise adj energy adj management adj system	US-PGPUB; USPAT	OR	OFF	2005/06/24 11:44

S7	4471	service adj technician\$1	US-PGPUB; USPAT	OR	OFF	2005/06/24 11:45
S8	1135	service adj technician\$1 and energy	US-PGPUB; USPAT	OR	OFF	2005/06/24 11:45
S9	154	service adj technician\$1 and energy and alert	US-PGPUB; USPAT	OR	OFF	2005/06/24 11:45
S10	45	service adj technician\$1 and energy and alert and repair	US-PGPUB; USPAT	OR	OFF	2005/06/24 11:50
S11	8	call same service adj technician\$1 and energy and alert and repair	US-PGPUB; USPAT	OR	OFF	2005/06/24 11:45
S12	34	service adj technician\$1 and energy and alert and actual and compare	US-PGPUB; USPAT	OR	OFF	2005/06/24 11:55
S13	105	refrigerant adj loss	US-PGPUB; USPAT	OR	OFF	2005/06/24 11:55
S14	2	refrigerant adj loss and energy and consumption and database and technician	US-PGPUB; USPAT	OR	OFF	2005/06/24 11:55
S15	4	refrigerant same loss and energy and consumption and database and technician	US-PGPUB; USPAT	OR	OFF	2005/06/24 11:57
S16	0	refrigerant same compare and energy and consumption and database and technician	US-PGPUB; USPAT	OR	OFF	2005/06/24 11:57
S17	7	refrigerant and compare and energy and consumption and database and technician	US-PGPUB; USPAT	OR	OFF	2005/06/24 12:20
S18	193	energy and consumption and database and technician and cost	US-PGPUB; USPAT	OR	OFF	2005/06/24 12:21
S19	3	energy and consumption and database and technician and cost adj repair	US-PGPUB; USPAT	OR	OFF	2005/06/24 12:22
S20	2	energy and consumption and database and technician and repair adj cost	US-PGPUB; USPAT	OR	OFF	2005/06/24 12:22
S21	3	energy and consumption and database and technician and repair adj cost\$1	US-PGPUB; USPAT	OR	OFF	2005/06/24 12:22
S22	19	energy and consumption and database and service and repair adj cost\$1	US-PGPUB; USPAT	OR	OFF	2005/06/24 12:24
S23	45	hvac and repair adj cost\$1	US-PGPUB; USPAT	OR	OFF	2005/06/24 12:24